

Shrink-packaging tank ATT 86

Technical data

Dipping basket size	800 x 600 mm
Immersion depth	250 mm
External dimensions	930 x 850 x 1670 mm*
Working height	860 mm (measured from the bottom)
Water tank	approx. 180 liter
Weight	approx. 130 kg
Power supply	3 phases, 230 / 400 V, 50 Hz / 19 kW**
Heating system	steam / electric heating

* width x depth x height
 ** special voltages upon request



Shrink tank with generous dipping basket

The ATT 86 semi-automatic hot water dipping tank is supplied as a plug-in unit. The shrinking process starts by pressing the ergonomically arranged pushbutton.

BOSS quality features

made in Germany




Long working life

BOSS dipping tanks are made exclusively with high-quality individual components: rust-free stainless steel, splashproof elements and reliable conveying systems. Clear structure, professional manufacture and sophisticated design guarantee long-lasting operational readiness.



User-friendliness

The main operating parameters are shown in a clear way and allow simple and precise operation. The ergonomic construction of the machine ensures pleasant working conditions.



Shrink-packaging results

The use of powerful heating elements guarantee a stable temperature profile. A wide variety of setup options allow individual modification to meet various bag and product requirements.



Service & cleaning

Ease of cleaning is foremost in the design of our machines. They are made of stainless steel. In order to reduce service costs and avoid downtimes due to maintenance, we attach great importance to easy accessibility and the clear arrangement of individual components.

Product layout



Details

The ATT 86 dipping tank offers an ideal entry into semi-automatic shrink-packaging. A generously sized dipping basket and the manually controlled dipping mechanism guarantee perfect shrink results.

Heating system



Benefits

- powerful heating elements guarantee stable temperature profile
- sheet metal covering above heating protects against mechanically damage
- water level detector protects against overheating


Control



Benefits

- temperature freely selectable
- dipping time adjustable
- signal lamp for water level
- curtain for moisture protection

Dipping basket




Benefits

- dipping basket in solid design
- easily removable dipping basket guarantees optimum cleaning conditions
- high performance electric motors suitable for heavy products
- dipping tank cover reduces energy consumption during downtimes

Shrink-packaging procedure

The ATT 86 shrink-packaging tank has a dipping mechanism that gently lowers the product into a water bath. The water bath has a predefined temperature, which activates the shrinking function of the shrink-bag. Then the dipping mechanism lifts and the product is packed.



Benefits

- Perfect heat transmission due to complete surrounding of the product
- Minimum energy loss
- Low water consumption
- Wrinkle-free shrinking results

Extras / accessories

1. Vapour escape hood with ventilator
2. Packaging (stable cardboard box on wooden pallet)

